

# Viking DOD and Fax Back Menu

Go to [www.vikingelectronics.com](http://www.vikingelectronics.com) and enter the DOD number for instant information **OR**  
Call 715-386-4345 and enter the DOD number to have the information faxed to you

Model Number	DOD#	Description
25AE	498	Weather Resistant 8 Ohm Paging Horn
30AE	498	8 Ohm Ceiling Speaker (White)
35AE	498	8 Ohm Ceiling Speaker with Volume Control (White)
AA1-MD	828	Multi-level Menu Software for ACA-1A
ACA-1A	005	Automated Call Attendant (1 Port)
ACD-10	085	Stand Alone ACD/UCD System
ACD-10-EB	085	Expansion Board for the ACD-10
AES-2000F	202	75 Name Apartment Entry System with Display and Voice, expands to 525 Names, Flush Mount
AES-2000S	202	75 Name Apartment Entry System with Display and Voice, expands to 525 Names, Surface Mount
AES-2005F	204	Same as AES-2000F with Color Camera
AES-2005S	204	Same as AES-2000S with Color Camera
ATA-100	234	Analog Telephone Adapter
BLK-3-EWP	653	Blue Light Strobe Kit, Compatible with Any Emergency Telephone, will not Flash on Incoming Ring or E-1600-20A "Info" Button
C-1000B	168	Door Entry and Camera Control for 1 or 2 Doorboxes, Provides C.O. Sharing and two Relay Closures
C-200	169	Door Entry Control for 1 Entry Phone, Provides C.O. Sharing, Call Waiting and One Auxiliary Contact
C-2000A	156	Door Entry Control for 1-4 Entry Phones, Provides C.O. Sharing, Caller ID, Door Strike and Keyless Entry
C-2000B	156	Door Entry Control for 1-4 Entry Phones, Provides C.O. Sharing, Caller ID, Door Strike and Keyless Entry
C-250	172	Entry Phone Controller and Call Router
C-3000	162	1 to 96 Unit Apartment Entry System
C-4000	164	250 Unit Apartment/Office Entry System with up to 4 Entry Points and Keyless Entry or Proxy Card Entry
CPA-7B	455	6 Watt Paging and Loud Ringing Amp
CPC-1	422	Generates a CPC Disconnect
CPC-4	444	Four Channel CPC Disconnect
CTG-1	460	Clock Controlled Tone Generator
D10	158	10 Name Stainless Steel Directory
D22	158	22 Name Stainless Steel Directory
D32	158	32 Name Stainless Steel Directory
D44	158	44 Name Stainless Steel Directory
D56	158	56 Name Stainless Steel Directory
D6	158	6 Name Stainless Steel Directory
DB40-BN	189	Door Bell Button Panel in Bronze
DB40-WH	189	Door Bell Button Panel in White
DLE-200B	605	Two-Way Phone Line Simulator with Dial Tone and Standard or Distinctive Ringing
DLE-300	607	Advanced Phone Line Simulator with Dial-tone, Standard or Distinctive Ringing, Ringback, Busy and Caller ID
DNA-510	308	Digital Mass Notification Announcer with Alert Tones and Messages
DRAM-1M	811	Memory Expansion Kit for the TMS-6X, and TMS-12A
DVA-1003B	125	Digital Voice Announcer for ACD/UCD applications (3 channels) with 1 Minute of Record Time per Channel
DVA-2WA	110	8 Minute Digital Voice Announcer
DVA-3003	127	Long Play Digital Voice Announcer for ACD/UCD Applications (3 channels)

<b>Model Number</b>	<b>DOD#</b>	<b>Description</b>
<b>DVA-500A</b>	<b>115</b>	Digital Voice Announcer for ACD/UCD applications (single channel) with 1 Minute of Record Time
<b>DVA-LPA</b>	<b>128</b>	Phone Line Powered Digital Voice Announcer with 16 Seconds of Record Time
<b>DVA-TNT</b>	<b>129</b>	Digital Time and Temp Announcer with 24 Hour Clock and Temperature Sensor
<b>E-10A</b>	<b>210</b>	Speaker Phone with Call Button, Adjustable Disconnect and Time-out (Flush Mount)
<b>E-10A-EWP</b>	<b>210</b>	E-10A with Enhanced Weather Protection (EWP)
<b>E-1600-02A</b>	<b>215</b>	ADA Compliant, Stainless Steel Hands-free Emergency Phone, with 5 Number Dialer and Announcer, CE Mark Available (10" x 13")
<b>E-1600-02A-CE</b>		Same as E-1600-02A (page 4) with CE Mark
<b>E-1600-03B</b>	<b>215</b>	ADA Compliant, Stainless Steel, Vandal Resistant, Handsfree Phone, with 5 Number Dialer and Voice Announcer, CE Mark Available (5.32"x7.3"x1.6")
<b>E-1600-03B-CE</b>		Same as E-1600-03B (page 4) with CE Mark
<b>E-1600-03B-EWP</b>	<b>215</b>	E-1600-03B with Enhanced Weather Protection (EWP), CE Mark Available
<b>E1600-03B-EWPCE</b>		Same as E-1600-03B-EWP (page 4) with CE Mark
<b>E-1600-20A</b>	<b>215</b>	ADA Compliant, Stainless Steel, Handsfree Emergency Phone with "Info" Button, 5 Number Dialer and Voice Announcer, CE Mark Available (5" x 5" x 2.25")
<b>E-1600-20A-CE</b>		Same as E-1600-20A (page 4) with CE Mark
<b>E-1600-20A-EWP</b>	<b>215</b>	E-1600-20A with Enhanced Weather Protection (EWP), CE Mark Available
<b>E1600-20A-EWPCE</b>		Same as E-1600-20A-EWP (page 4) with CE Mark
<b>E-1600-30A</b>	<b>215</b>	ADA Compliant, Stainless Steel, Handsfree Emergency Phone, 5 Number Dialer and Digital Voice Announcer, (5" x 5" x 2.25")
<b>E-1600-30A-EWP</b>	<b>215</b>	E-1600-30A with Enhanced Weather Protection (EWP)
<b>E-1600-40A</b>	<b>215</b>	ADA Compliant Handsfree Emergency Phone with 5 Number Dialer and Voice Announcer, minus "Emergency Phone" verbiage, Red (4" x 5.25" x 2")
<b>E-1600-40A-EWP</b>	<b>215</b>	E-1600-40A with Enhanced Weather Protection (EWP)
<b>E-1600-45A</b>	<b>215</b>	ADA Compliant Handsfree Emergency Phone with 5 Number Dialer and Voice Announcer, Safety Yellow, CE Mark Available (4" x 5.25" x 2")
<b>E-1600-45A-CE</b>		Same as E-1600-45A (page 4) with CE Mark
<b>E-1600-45A-EWP</b>	<b>215</b>	E-1600-45A with Enhanced Weather Protection (EWP), CE Mark Available
<b>E1600-45A-EWPCE</b>		Same as E-1600-45A-EWP (page 4) with CE Mark
<b>E-1600-50A</b>	<b>215</b>	Circuit Board/Button/Speaker for 1600A Series Phone, CE Mark Available
<b>E-1600-50A-CE</b>		Same as E-1600-50A (page 4) with CE Mark
<b>E-1600-50A-EWP</b>	<b>215</b>	E-1600-50A with Enhanced Weather Protection (EWP)
<b>E-1600-52A</b>	<b>215</b>	Circuit Board/Speaker and 2 Buttons for 1600A Series Phone, CE Mark Available
<b>E-1600-52A-CE</b>		Same as E-1600-52A (page 4) with CE Mark
<b>E-1600-52A-EWP</b>	<b>215</b>	E-1600-52A with Enhanced Weather Protection (EWP)
<b>E-1600-55A</b>	<b>215</b>	Same as E-1600A in a Kit that Mounts Behind Custom Elevator Panels, CE Mark Available (5" x 5" x 2.25")
<b>E-1600-55A-CE</b>		Same as E-1600-55A (page 4) with CE Mark
<b>E-1600-55A-EWP</b>	<b>215</b>	E-1600-55A with Enhanced Weather Protection (EWP)
<b>E-1600-60A</b>	<b>215</b>	ADA Compliant Handsfree Emergency Phone with 5 Number Dialer and Voice Announcer, Blue with Police Verbiage (4" x 5.25" x 2")
<b>E-1600-60A-EWP</b>	<b>215</b>	E-1600-60A with Enhanced Weather Protection (EWP)
<b>E-1600A</b>	<b>215</b>	ADA Compliant Handsfree Emergency Phone with 5 Number Dialer and Voice Announcer, Red, CE Mark Available (4" x 5.25" x 2")
<b>E-1600A-BLT2EWP</b>	<b>217</b>	Two Button ADA Emergency Tower Phone with One Million Candle Power Strobe, 5 Number Dialer and Voice Announcer
<b>E-1600A-BLT-EWP</b>	<b>217</b>	ADA Emergency Tower Phone with One Million Candle Power Strobe, 5 Number Dialer and Voice Announcer
<b>E-1600A-CE</b>		Same as E-1600A (page 4) with CE Mark
<b>E-1600A-EWP</b>	<b>215</b>	E-1600A with Enhanced Weather Protection (EWP), CE Mark Available
<b>E1600A-EWPCE</b>		Same as E-1600A-EWP (page 4) with CE Mark
<b>E-1600A-TP2-EWP</b>	<b>218</b>	Two-Button ADA Compliant Emergency/Elevator Phone for Talk-A-Phone Applications, Flush Mount (9.5" x 11.75" x 2")
<b>E-1600A-TP-EWP</b>	<b>218</b>	ADA Compliant Emergency/Elevator Phone for Talk-A-Phone Applications (9.5" x 11.75" x 2")

<b>Model Number</b>	<b>DOD#</b>	<b>Description</b>
<b>E-20B</b>	<b>210</b>	Speaker Phone with Push Button, Adjustable Disconnect and Time-out (Surface Mount)
<b>E-20B-EWP</b>	<b>210</b>	E-20B with Enhanced Weather Protection (EWP)
<b>E-30</b>	<b>212</b>	Stainless Steel Handsfree Phone with Dialer (Flush Mount)
<b>E30-CE</b>		Same as E-30 (page 5) with CE Mark
<b>E-30-EWP</b>	<b>212</b>	E-30 with Enhanced Weather Protection (EWP)
<b>E30-EWP-CE</b>		Same as E-30-EWP (page 5) with CE Mark
<b>E-30-PT</b>	<b>214</b>	Stainless Steel Handsfree Phone with Dialer, Push-To-Talk Button (Flush Mount)
<b>E-30-PT-EWP</b>	<b>214</b>	E-30-PT with Enhanced Weather Protection (EWP)
<b>E-35</b>	<b>178</b>	Stainless Steel Handsfree Phone with Dialer and Built-In Color Video Camera (Flush Mount)
<b>E-35-EWP</b>	<b>178</b>	E-35 with Enhanced Weather Protection (EWP)
<b>E-40-BK</b>	<b>187</b>	Satin Black Entry Phone with Automatic Disconnect, Mounts in Single Gang Box (Flush Mount)
<b>E-40-BK-EWP</b>	<b>187</b>	E-40-BK with Enhanced Weather Protection (EWP)
<b>E-40-BN</b>	<b>187</b>	Oil Rubbed Bronze Entry Phone with Automatic Disconnect, Mounts in Single Gang Box (Flush Mount)
<b>E-40-BN-EWP</b>	<b>187</b>	E-40-BN with Enhanced Weather Protection (EWP)
<b>E-40-PB</b>	<b>187</b>	Polished Brass Entry Phone with Automatic Disconnect, Mounts in Single Gang Box (Flush Mount)
<b>E-40-PB-EWP</b>	<b>187</b>	E-40-PB with Enhanced Weather Protection (EWP)
<b>E-40-SS</b>	<b>187</b>	Stainless Steel Entry Phone with Automatic Disconnect, Mounts in Single Gang Box (Flush Mount)
<b>E-40-SS-EWP</b>	<b>187</b>	E-40-SS with Enhanced Weather Protection (EWP)
<b>E-40-WH</b>	<b>187</b>	Satin White Entry Phone with Automatic Disconnect, Mounts in Single Gang Box (Flush Mount)
<b>E-40-WH-EWP</b>	<b>187</b>	E-40-WH with Enhanced Weather Protection (EWP)
<b>E-50-BK</b>	<b>191</b>	Satin Black Entry Phone with Color Camera, Mounts in Single Gang Box (Flush Mount)
<b>E-50-BK-EWP</b>	<b>191</b>	E-50-BK with Enhanced Weather Protection (EWP)
<b>E-50-BN</b>	<b>191</b>	Oil Rubbed Bronze Entry Phone with Color Camera, Mounts in Single Gang Box (Flush Mount)
<b>E-50-BN-EWP</b>	<b>191</b>	E-50-BN with Enhanced Weather Protection (EWP)
<b>E-50-PB</b>	<b>191</b>	Polished Brass Entry Phone with Color Camera, Mounts in Single Gang Box (Flush Mount)
<b>E-50-PB-EWP</b>	<b>191</b>	E-50-PB with Enhanced Weather Protection (EWP)
<b>E-50-SS</b>	<b>191</b>	Stainless Steel Entry Phone with Color Camera, Mounts in Single Gang Box (Flush Mount)
<b>E-50-SS-EWP</b>	<b>191</b>	E-50-SS with Enhanced Weather Protection (EWP)
<b>E-50-WH</b>	<b>191</b>	Satin White Entry Phone with Color Camera, Mounts in Single Gang Box (Flush Mount)
<b>E-50-WH-EWP</b>	<b>191</b>	E-50-WH with Enhanced Weather Protection (EWP)
<b>E-60-BK</b>	<b>206</b>	Satin Black Entry Phone with Automatic Disconnect and Blue LED, Flush Mounts in a Double Gang Box
<b>E-60-BK-EWP</b>	<b>206</b>	E-60-BK with Enhanced Weather Protection (EWP)
<b>E-60-BN</b>	<b>206</b>	Oil Rubbed Bronze Entry Phone, Automatic Disconnect and Blue LED, Flush Mounts in a Double Gang Box
<b>E-60-BN-EWP</b>	<b>206</b>	E-60-BN with Enhanced Weather Protection (EWP)
<b>E-60-PB</b>	<b>206</b>	Polished Brass Entry Phone with Automatic Disconnect and Blue LED, Flush Mounts in a Double Gang Box
<b>E-60-PB-EWP</b>	<b>206</b>	E-60-PB with Enhanced Weather Protection (EWP)
<b>E-60-SS</b>	<b>206</b>	Stainless Steel Entry Phone with Automatic Disconnect and Blue LED, Flush Mounts in a Double Gang Box
<b>E-60-SS-EWP</b>	<b>206</b>	E-60-SS with Enhanced Weather Protection (EWP)
<b>E-60-WH</b>	<b>206</b>	Satin White Entry Phone with Automatic Disconnect and Blue LED, Flush Mounts in a Double Gang Box
<b>E-60-WH-EWP</b>	<b>206</b>	E-60-WH with Enhanced Weather Protection (EWP)
<b>E-65-BK</b>	<b>203</b>	Satin Black Entry Phone with Color Camera and Blue LED, Flush Mounts in Double Gang Box
<b>E-65-BK-EWP</b>	<b>203</b>	E-65-BK with Enhanced Weather Protection (EWP)
<b>E-65-BN</b>	<b>203</b>	Oil Rubbed Bronze Entry Phone with Color Camera and Blue LED, Flush Mounts in Double Gang Box
<b>E-65-BN-EWP</b>	<b>203</b>	E-65-BN with Enhanced Weather Protection (EWP)

Model Number	DOD#	Description
E-65-PB	203	Polished Brass Entry Phone with Color Camera and Blue LED, Flush Mounts in Double Gang Box
E-65-PB-EWP	203	E-65-PB with Enhanced Weather Protection (EWP)
E-65-SS	203	Stainless Steel Entry Phone with Color Camera and Blue LED, Flush Mounts in Double Gang Box
E-65-SS-EWP	203	E-65-SS with Enhanced Weather Protection (EWP)
E-65-WH	203	Satin White Entry Phone with Color Camera and Blue LED, Flush Mounts in Double Gang Box
E-65-WH-EWP	203	E-65-WH with Enhanced Weather Protection (EWP)
ERAM-4M	854	4 Minute Memory Expansion Kit for AES-2000F and AES-2000S
ERAM-60	813	1 Minute Memory Expansion Kit for the DVA-2WA, DVA-500A, DVA-1003B, and DVA-3003
ES-1	193	Stand Alone Door Entry Controller
ES-3	195	Entry System Door Controller for AES
EV-1	135	Emergency Voice Module, Plays on Remote Answer or Touch Tone ***
FAXJ-1000	261	FaxJack Phone/Fax Switch
FBI-1A	465	Digital Feedback Eliminator, 16 seconds expands to 60 seconds with ERAM-60
HD-1	405	Handset Interfaced DTMF Dialer
HF-3W	470	Handsfree Talk-Back Paging Amplifier
HID-1	197	Proximity Card Reader
HID-2	199	Keypad with Wiegand Output
K-1200	182	12 Button Apartment Entry Phone with Built-In Door Strike Relay (5" x 10" x 2.5")
K-1200-EWP	182	K-1200 with Enhanced Weather Protection (EWP)
K-1205	183	12 Button Apartment Entry Phone with Built-In Door Strike Relay and Color Video Camera (5" x 10" x 2.5")
K-1205-EWP	183	K-1205 with Enhanced Weather Protection (EWP)
K-1500-6		(Discontinued – replaced with K-1500-6A)
K-1500-6A	352	Vandal Resistant Stainless Steel Phone (4.5" x 4.5")
K-1500-7	352	Vandal Resistant Stainless Steel Panel Phone (5" x 10")
K-1500-E	220	Elevator Phone, No Dial Pad
K-1500-EHFA	220	Handsfree Elevator Phone
K-1500P-D	355	Red Desk Phone with Ringer and Network, No Keypad
K-1500P-D ASH	355	Ash Desk Phone with Ringer and Network, No Keypad
K-1500P-W	355	Red Wall Phone with Ringer and Network, No Keypad
K-1500P-W ASH	355	Ash Wall Phone with Ringer and Network, No Keypad
K-1600-EHFA	215	ADA Handsfree Elevator Phone, with 5 Number Dialer, Voice Announcer, Red Color, CE Mark Available (6.86" x 9.875" x 2.1")
K-1600-EHFA-CE		Same as K-1600-EHFA (page 7) with CE Mark
K-1700-3	157	Stainless Steel, Vandal and Weather Resistant Handsfree Phone with Keypad
K-1700-3-BN	157	Oil Rubbed Bronze, Vandal and Weather Resistant Handsfree Phone with Keypad
K-1700-3-BN-EWP	157	K-1700-3-BN with Enhanced Weather Protection (EWP)
K-1700-3-EWP	157	K-1700-3 with Enhanced Weather Protection (EWP)
K-1705-3	159	Stainless Steel, Vandal and Weather Resistant Handsfree Phone with Keypad and Color Camera
K-1705-3-BN	159	Oil Rubbed Bronze, Vandal and Weather Resistant Handsfree Phone with Keypad and Color Camera
K-1705-3-BN-EWP	159	K-1705-3-BN with Enhanced Weather Protection (EWP)
K-1705-3-EWP	159	K-1705-3 with Enhanced Weather Protection (EWP)
K-1900-3	312	250 Number Apartment Dialer
K-1900-4	315	Hot-Line Dialer, Pulse
K-1900-5	317	Hot-Line Dialer, Touch Tone
K-1900-6	360	Hot-Line Dialer Network, Touch Tone
K-1900-7	360	Hot-Line, Vandal Resistant Stainless Steel Panel Phone
K-1900-7-EWP	360	K-1900-7 with Enhanced Weather Protection (EWP)

<b>Model Number</b>	<b>DOD#</b>	<b>Description</b>
<b>K-1900-8</b>	<b>362</b>	Hot-Line, Stainless Steel Panel Phone with Armored Cable and Stainless Steel Keypad
<b>K-1900-8-EWP</b>	<b>362</b>	K-1900-8 with Enhanced Weather Protection (EWP)
<b>K-1900-9</b>	<b>321</b>	AC Power Single or Multi-Number Dialer
<b>K-1900D-2</b>	<b>360</b>	Red Hot-Line Desk Phone with Non-Volatile Memory, Field Programmable
<b>K-1900D-2 ASH</b>	<b>360</b>	Ash Hot-Line Desk Phone with Non-Volatile Memory, Field Programmable
<b>K-1900W-2</b>	<b>360</b>	Red Hot-Line Wall Phone with Non-Volatile Memory, Field Programmable
<b>K-1900W-2 ASH</b>	<b>360</b>	Ash Hot-Line Wall Phone with Non-Volatile Memory, Field Programmable
<b>K-2000-DVA</b>	<b>303</b>	Multi-Input Voice Dialer/Announcer
<b>K-202-DVA</b>	<b>305</b>	Two Input Voice Dialer/Announcer
<b>K-600D</b>	<b>475</b>	Loud Ringing Over Paging Amplifier
<b>LB-50</b>	<b>191</b>	L Bracket for E-50 Camera
<b>LC-8</b>	<b>225</b>	8 Port Line Concentrator
<b>LDB-1</b>	<b>406</b>	Loop Detect Board with On-Board 12V Regulator
<b>LDB-2</b>	<b>408</b>	Loop and Ring Detect Board for Ring and Line "In Use" Contact Closures
<b>LDB-3</b>	<b>409</b>	Loop and Ring Detect Board for Ring and Line "In Use" Contact Closures
<b>LLA-1</b>	<b>615</b>	Single Line Long Loop Adapter
<b>LLA-4</b>	<b>620</b>	Four Line Long Loop Adapter
<b>LM-1A</b>	<b>662</b>	Message Waiting Lamp
<b>LM-24C</b>	<b>N/A</b>	Six Cards and Bezel for LM-24D (below)
<b>LM-24D</b>	<b>670</b>	Display for LM-24M (below)
<b>LM-24M</b>	<b>670</b>	24-Line Status Monitor Scanner
<b>LM-24S</b>	<b>670</b>	24-Line Status Monitor System (LM-24M and LM-24D)
<b>LS-4x4</b>	<b>270</b>	Four Port by Four Phone Line Scanner
<b>LS-911</b>	<b>238</b>	Analog Emergency Line Sharing Device
<b>LSD-2</b>	<b>262</b>	Line Sharing Device
<b>LSR-1</b>	<b>230</b>	Line Seizure Relay
<b>M2W</b>	<b>480</b>	Paging/Loud Ringing Amplifier for Key Phone
<b>MOH-2L</b>	<b>407</b>	Two-Line Music on Hold Device, Phone Line Powered
<b>MTG-10</b>	<b>482</b>	Multi-Tone Generator with 10 Different Tones
<b>PA-2A</b>	<b>485</b>	Paging/Loud Ringing Amplifier for Multi-Lines
<b>PA-30</b>	<b>489</b>	30 Watt Telecom Paging Amp with Loud Ringing
<b>PAN-1</b>	<b>145</b>	Panasonic Door Phone Station Adapter
<b>PB-1</b>	<b>233</b>	Emergency Phone Panic Button Kit
<b>PB-100</b>	<b>232</b>	Polling/Diagnostics Kit - ADA Phones
<b>PC-7</b>	<b>560</b>	7-ft Exclusion and Privacy Modular Cord with Teleguard
<b>PF-6A</b>	<b>680</b>	Power Fail Switch or Ground to Loop Start Converter
<b>PI-1</b>	<b>490</b>	Universal Telecom and Paging Interface
<b>PJ-14</b>	<b>560</b>	Two-Line Privacy/Exclusion Device (Wall Jack)
<b>PNL40-BK</b>	<b>188</b>	E-40 Plate in Black
<b>PNL40-BN</b>	<b>188</b>	E-40 Plate in Oil Rubbed Bronze
<b>PNL40-PB</b>	<b>188</b>	E-40 Plate in Polished Brass
<b>PNL40-SS</b>	<b>188</b>	E-40 Plate in Stainless Steel
<b>PNL40-WH</b>	<b>188</b>	E-40 Plate in White
<b>PNL50-BK</b>	<b>192</b>	E-50 Plate in Black
<b>PNL50-BN</b>	<b>192</b>	E-50 Plate in Oil Rubbed Bronze
<b>PNL50-PB</b>	<b>192</b>	E-50 Plate in Polished Brass
<b>PNL50-SS</b>	<b>192</b>	E-50 Plate in Stainless Steel

<b>Model Number</b>	<b>DOD#</b>	<b>Description</b>
<b>PNL50-WH</b>	<b>192</b>	E-50 Plate in White
<b>PNL60-BK</b>	<b>209</b>	E-60 Plate in Black
<b>PNL60-BN</b>	<b>209</b>	E-60 Plate in Oil Rubbed Bronze
<b>PNL60-PB</b>	<b>209</b>	E-60 Plate in Polished Brass
<b>PNL60-SS</b>	<b>209</b>	E-60 Plate in Stainless Steel
<b>PNL60-WH</b>	<b>209</b>	E-60 Plate in White
<b>PROXCARD</b>	<b>198</b>	26-Bit Wiegand Proximity Card
<b>PS-1</b>	<b>510</b>	Power Supply (110V AC – 13.8V AC)
<b>PS-1A</b>	<b>510</b>	Power Supply - Barrel Connector (110V AC - 13.8V AC)
<b>PS-2</b>	<b>510</b>	Power Supply (110V AC/12V DC)
<b>PS-48-RGA</b>	<b>515</b>	Power Supply, 48V Talk Battery, 90VAC Ring
<b>PTR-1</b>	<b>438</b>	Professional Telecom Recorder Kit
<b>Q170600 RINGER</b>	<b>834</b>	Ringer for K-1500-7, K-1900-7, K-1900-8, K-1900D-2 and K-1900W-2
<b>RAD-1A</b>	<b>410</b>	Line Powered Remote Access Device
<b>RAD-AMP</b>	<b>415</b>	Amplified Remote Access Device
<b>RC-2A</b>	<b>160</b>	Remote Touch Tone Controller, with 1 Normally Open or Normally Closed Relay Contact
<b>RC-3</b>	<b>165</b>	Remote Touch Tone Controller with 3 Normally Open or Normally Closed Relay Contacts
<b>RG-10A</b>	<b>420</b>	Ring Booster, 15 REN
<b>RM-19</b>		(Discontinued)
<b>SC-911</b>	<b>236</b>	"911" Strobe Controller
<b>SL-1</b>	<b>240</b>	1 Million Candle Power Strobe Light
<b>SLP-1</b>	<b>478</b>	Single Line Paging Controller
<b>SLP-4</b>	<b>479</b>	Single Line Paging Controller with CD Quality Sounds
<b>SO-24 AK</b>	<b>819</b>	Digital Phone Adapter Kit for the SO-24A
<b>SO-24A</b>	<b>690</b>	Silent Service Observation Unit with Recording Option and Built-In Talk Assistance
<b>SOFTWARE</b>	<b>815</b>	ACA-1A Special Software Modules
<b>SQRG-12</b>	<b>60</b>	Sequential Ring Generator for TMS-6X and TMS-12A
<b>SR-1</b>	<b>477</b>	Single Line Loud Ringer and Door Chime
<b>SRC-1</b>	<b>176</b>	Secure Relay Controller
<b>SV-5W</b>	<b>488</b>	Speaker Volume Control
<b>TBB-1A</b>	<b>630</b>	Talk Battery Booster
<b>TDR-1</b>	<b>421</b>	Time Delay Relay
<b>TG-1</b>	<b>560</b>	One-Line Privacy/Exclusion Device, Punchdown Block
<b>TG-2</b>	<b>560</b>	Two Port Modular Exclusion/Privacy Device
<b>TG-3</b>	<b>560</b>	Single Line Teleguard Privacy/Exclusion Device for Punchdown Block, 24V Lines
<b>TMS-12A</b>	<b>70</b>	Call Sequencer, 12-Line, Expandable to 24 lines
<b>TMS-2</b>	<b>62</b>	Call Sequencer for 2-Line phones
<b>TMS-6X</b>	<b>65</b>	Call Sequencer, 6-Line
<b>TMS-RDMA</b>	<b>75</b>	Remote Display for the TMS-6X and TMS-12A
<b>TR-1</b>	<b>705</b>	Programmable Toll Restrictor, 6-Digit Bypass Code, Touch Tone or Rotary Phones, Line Powered
<b>VCAM-1</b>	<b>190</b>	Replacement Camera
<b>VE-1</b>	<b>440</b>	Plastic Enclosure (1.3" x 2.8")
<b>VE-2</b>	<b>440</b>	Plastic Enclosure (1.5" x 5")
<b>VE-3</b>	<b>440</b>	Plastic Enclosure (2.5" x 6")
<b>VE-3x5</b>	<b>424</b>	Surface Mount Box for E-40, E-50
<b>VE-5x10</b>	<b>424</b>	Surface Mount Box for K-1500-7, K-1900-7, K-1900-8
<b>VE-5x10-PNL</b>	<b>424</b>	VE-5x10 with Stainless Steel Panel

<b>Model Number</b>	<b>DOD#</b>	<b>Description</b>
<b>VE-5x10-PNL-SS</b>	<b>424</b>	VE-5x10-SS with Stainless Steel Panel
<b>VE-5x10-SS</b>	<b>424</b>	Stainless Steel Surface Mount Box for K-1500-7, K-1900-7, K-1900-8
<b>VE-5x5</b>	<b>424</b>	Surface Mount Box for E-10A, E-30, E-1600-20A, W-1000 and W-3000
<b>VE-5x5-PNL</b>	<b>424</b>	VE-5x5 with Stainless Steel Panel
<b>VE-5x5-PNL-SS</b>	<b>424</b>	VE-5x5-SS with Stainless Steel Panel
<b>VE-5x5-SS</b>	<b>424</b>	Stainless Steel Surface Mount Box for E-10A, E-30, E-1600-20A, W-1000 and W-3000
<b>VE-6x7</b>	<b>424</b>	Surface Mount Box for K-1700-3 and K-1705-3
<b>VE-6x7-PNL</b>	<b>424</b>	VE-6x7 with Stainless Steel Panel
<b>VE-6x7-PNL-SS</b>	<b>424</b>	VE-6x7-SS with Stainless Steel Panel
<b>VE-6x7-SS</b>	<b>424</b>	Stainless Steel Surface Mount Box for K-1700-3 and K-1705-3
<b>VE-9x12B-0</b>	<b>413</b>	Black Heavy-Duty Outdoor Enclosure with optional "Telephone" label (9.4"W x 12.6"H x 7.45"D)
<b>VE-9x12B-1</b>	<b>413</b>	Black Heavy-Duty Outdoor Enclosure for E-1600A, K-1900W-2, W-2000A and E-20B
<b>VE-9x12B-2</b>	<b>413</b>	Black Heavy-Duty Outdoor Enclosure for E-10A, E-30, E-1600-20A, W-1000 and W-3000
<b>VE-9x12MK</b>	<b>424</b>	Mounting Kit for VE-9x12
<b>VE-9x12R-0</b>	<b>413</b>	Red Heavy-Duty Outdoor Enclosure with optional "Telephone" label (9.4"W x 12.6"H x 7.45"D)
<b>VE-9x12R-1</b>	<b>413</b>	Red Heavy-Duty Outdoor Enclosure for E-1600A, K-1900W-2, W-2000A and E-20B
<b>VE-9x12R-2</b>	<b>413</b>	Red Heavy-Duty Outdoor Enclosure for E-10A, E-30, E-1600-20A, W-1000 and W-3000
<b>VE-9x12Y-0</b>	<b>413</b>	Yellow Heavy-Duty Outdoor Enclosure with optional "Telephone" label (9.4"W x 12.6"H x 7.45"D)
<b>VE-9x12Y-1</b>	<b>413</b>	Yellow Heavy-Duty Outdoor Enclosure for E-1600A, E-20B, K-1900W-2 and W-2000A
<b>VE-9x12Y-2</b>	<b>413</b>	Yellow Heavy-Duty Outdoor Enclosure for E-10A, E-30, E-1600-20A, W-1000, and W-3000
<b>VE-9x20B</b>	<b>413</b>	Black Heavy-Duty Outdoor Enclosure for K-1500-7, K-1900-7 and K-1900-8
<b>VE-9x20B-0</b>	<b>413</b>	Black Heavy-Duty Outdoor Enclosure with optional "Telephone" label (9.25"W x 20.25"H x 7.25"D)
<b>VE-9x20MK</b>		Mounting Kit for VE-9x20
<b>VE-9x20R</b>	<b>413</b>	Red Heavy-Duty Outdoor Enclosure for K-1500-7, K-1900-7 and K-1900-8
<b>VE-9x20R-0</b>	<b>413</b>	Red Heavy-Duty Outdoor Enclosure with optional "Telephone" label (9.25"W x 20.25"H x 7.25"D)
<b>VE-9x20Y</b>	<b>413</b>	Yellow Heavy-Duty Enclosure for K-1500-7, K-1900-7 and K-1900-8
<b>VE-9x20Y-0</b>	<b>413</b>	Yellow Heavy-Duty Outdoor Enclosure, optional "Telephone" label (9.25"W x 20.25"H x 7.25"D)
<b>VE-GNP</b>	<b>424</b>	Gooseneck Pedestal for Use with VE-Series Products
<b>VE-GNP-2</b>	<b>424</b>	Dual Height Gooseneck Pedestal: 40" and 70"
<b>VE-GNP-IG</b>	<b>424</b>	Black Gooseneck Pedestal with In-Ground Mounting
<b>VE-GNP-SS</b>	<b>424</b>	Stainless Steel Gooseneck Pedestal
<b>VE-LIGHT</b>	<b>428</b>	Enclosure Lighting Kit for the VE-5x5, VE-6x7 and E-1600A-BLT-EWP
<b>VE-MOUNT</b>	<b>423</b>	Mounting Kit for E-30 Pool Phone
<b>VE-PBL</b>	<b>413</b>	Push Button Lock for All VE Boxes
<b>VE-RMB</b>	<b>431</b>	Retro-Fit Mounting Bracket for use with the E-10A, E-30, W-1000 and W-3000
<b>VE-SPG</b>	<b>413</b>	Door Return Hinge Spring
<b>VR-1A</b>	<b>695</b>	Visual Ring Indicator, Busy / Stutter Dial Tone Indicator
<b>W-1000</b>	<b>170</b>	Handsfree Doorbox, Black Powder Painted Aluminum Faceplate (Flush Mount)
<b>W-1000-EWP</b>	<b>170</b>	W-1000 with Enhanced Weather Protection (EWP)
<b>W-2000A</b>	<b>170</b>	Handsfree Doorbox, Impact Resistant UV Stable Plastic Chassis (Surface Mount)
<b>W-2000A-EWP</b>	<b>170</b>	W-2000A with Enhanced Weather Protection (EWP)
<b>W-3000</b>	<b>180</b>	Weather-Resistant, Handsfree Doorbox, 14 Gauge Stainless Steel Faceplate (Flush Mount)
<b>W-3000-EWP</b>	<b>180</b>	W-3000 with Enhanced Weather Protection (EWP)
<b>W-3005</b>	<b>181</b>	Handsfree Doorbox, 14 Gauge Stainless Steel Faceplate, Color Video Camera Flush Mount
<b>W-3005-EWP</b>	<b>181</b>	W-3005 with Enhanced Weather Protection (EWP)
<b>ZPI-4</b>	<b>499</b>	Multi-Zone Paging Interface, Touch Tone Controlled