



NEW PRODUCTS

2023

X-205 Series Compact IP Intercoms with HD Video

The X-205 Series of Compact IP Video Intercoms are designed to provide HD video and reliable handsfree voice communication for SIP VoIP phone systems and service providers. The built-in IP video camera has H.264 video compression, low light sensitivity, a wide viewing angle of 126 degrees, and can output dual video streams of up to 1080p resolution.

- Low-profile durable stainless steel chassis
- Blue LED to help locate button
- SIP compliant
- ONVIF Profile S compliant
- H.264 and MJPEG video encoding
- Up to 1080p SIP video calling
- Separate NVR stream with audio
- Selectable video resolutions
- Program remotely via Web UI
- 2 Amp relay contacts
- PoE powered (class 2, < 6.5 Watts)
- Network downloadable firmware
- Cycles through backup phone numbers on busy or no-answer
- Diagnostics for testing speaker, microphone, and relay



**X-205-SS or
X-205-SS-EWP**

Brushed stainless
steel finish



**X-205-BN or
X-205-SBN-EWP**

Oil rubbed bronze
finish



**X-205-BK or
X-205-BK-EWP**

Textured black
finish

X-1605 Series

IP Emergency Phones with HD Video

The X-1605 Series of IP Video Emergency Phones are designed to provide HD video and reliable handsfree voice communication for SIP VoIP phone systems and service providers. The built-in IP video camera has H.264 video compression, low light sensitivity, a wide viewing angle of 126 degrees, and can output dual video streams of up to 1080p resolution.

The X-1605 emergency phones can dial programmable numbers and be programmed remotely via a built-in Web UI. On-board 2 Amp relay contacts are provided for activating door strikes or gate controllers.

The X-1605 emergency phones will flash the blue LED during dialing and can automatically light the LED when the call is answered. All units are PoE class 2 powered.



X-1605-32 or X-1605-32-EWP

Brushed stainless steel finish.
Flush mount or use an optional surface mount box, sold separately.



X-1605 or X-1605-EWP

Durable red powder paint finish.

- Red LED to help locate button
- SIP compliant
- PoE powered (class 2, < 6.5 Watts)
- ONVIF Profile S compliant
- H.264 and MJPEG video encoding
- Up to 1080p SIP video calling
- Separate NVR stream with audio
- Selectable video resolutions
- Program remotely via Web UI
- 2 Amp relay contacts
- Network downloadable firmware
- Cycles through backup phone numbers on busy or no-answer
- Diagnostics for testing speaker, microphone, and relay

TRIVIA QUESTION



In a Viking model number, what does “EWP” stand for?

Everyone who submits the correct answer by 12/31/2023 will be entered into a prize drawing.

HOW TO ANSWER | FAX: 715-386-4344 | SCAN --> EMAIL: info@vikingelectronics.com



SEP-OCT Trivia: What is it called when there's a second full moon in a calendar month?

Answer: A Blue Moon

Congratulations to **CAROLINE PAPICK** from **TELEDYNAMICS!**

X-35 Series

IP Intercoms with HD Video



The X-35 Series of IP Video Intercoms are designed to provide HD video and reliable handsfree voice communication for SIP VoIP phone systems and service providers. The built-in IP video camera has H.264 video compression, low light sensitivity, a wide viewing angle of 126 degrees, and can output dual video streams of up to 1080p resolution.

For outdoor installations where the unit is exposed to precipitation or condensation, the X-35 intercoms are available with Enhanced Weather Protection (EWP). EWP products are designed to meet IP66 standards and may feature foam rubber gaskets, sealed connections, gel-filled butt connectors, as well as potted circuit boards. For more information on EWP, visit: www.vikingelectronics.com/ewp

- Heavy-duty stainless steel chassis
- Blue LED to help locate button
- SIP compliant
- ONVIF Profile S compliant
- H.264 and MJPEG video encoding
- Up to 1080p SIP video calling
- Separate NVR stream with audio
- Selectable video resolutions
- Program remotely via Web UI
- 2 Amp relay contacts
- PoE powered (class 2, < 6.5 Watts)
- Network downloadable firmware
- Cycles through backup phone numbers on busy or no-answer
- Diagnostics for testing speaker, microphone, and relay



X-35-SS or X-35-SS-EWP

Brushed stainless steel finish.
Flush mount or use an optional surface mount box, sold separately.



X-35-BN or X-35-BN-EWP

Oil rubbed bronze finish. Flush mount or use an optional surface mount box, sold separately.



X-35-BK or X-35-BK-EWP

Textured black finish. Flush mount or use an optional surface mount box, sold separately.



The VIKING APP

You can count on Viking everywhere life takes you.



LOOK FOR THIS ICON!



UPCOMING EVENTS

Channel Partners

Las Vegas, NV
Mar 11-14, 2024

ISC West

Las Vegas, NV
Apr 10-12, 2024

ISC East

New York, NY
Nov 18-19, 2023

ESX

Louisville, KY
Jun 3-6, 2024

BICSI Winter

Orlando, FL
Jan 28 - Feb 1, 2024



For the most up-to-date info on events, products, and more, follow us on Facebook (scan here)

CONTACT US

PHONE: 715.386.8861

FAX: 715.386.4344

EMAIL: info@vikingelectronics.com

WEB: vikingelectronics.com



Published by Viking Electronics, Inc. For customer service, call: 715-386-8861. To **UNSUBSCRIBE**, please send an email to: mailings@vikingelectronics.com. Include your mailing address and we will promptly honor your request. Please note: Viking Electronics is dedicated to protecting your privacy. We will never share or sell your personal information.

© Viking Electronics, Inc. All rights reserved.

VIKING

Viking Electronics, Inc.
1531 Industrial Street
Hudson, WI 54016-9386



HAPPY HOLIDAYS

FROM EVERYONE AT
VIKING ELECTRONICS!

WE HOPE YOUR HOLIDAY SEASON WILL BE FILLED WITH JOY & LAUGHTER THROUGH THE NEW YEAR.

WHAT'S INSIDE?

NEW PRODUCTS FROM 2023

- X-205 Series
- X-1605 Series
- Trivia Question
- X-35 Series
- Viking App